Biological Psychiatry 3: 399–400 (1971)

Subject Index to Volume 3

Air pollution, 103*f*
Anxiety, and eyelid conditioning, 339*ff*

Behavioral science program, laboratory experiences in, 173*ff*

Capuride
  EEG changes after, 165*ff*
  for anxiety, 165*ff*

Depression
  5–hydroxytryptamine in, 105*ff*
  personality factors in, 85*ff*
  postpartum, 357*ff*
Diazepam, in electroconvulsive therapy, 129*ff*
Dimethoxyphenylethylamine, effects of, 251
Dimethyltryptamine, EEG alerting, blockage by antiserum, 227*ff*
DOPA, effect on evoked response, 273*ff*
Drug abuse, effect of, on evoked response, 259*ff*

EEG, lithium effect, in manic depressive disease, 47*ff*
EEG alerting, blockage by antiserum, 227*ff*
Electroconvulsive therapy
  modified by diazepam, 129*ff*
  unilateral, 95*f*
Epilepsy
  EEG changes in, 149*ff*
  temporal lobe, 149*ff*

Evoked potential, lithium effect in manic depressive disease, 147*ff*
Evoked response, effect of
  DOPA, 273*ff*
  drug abuse, 259*ff*
  haloperidol, in schizophrenia, 299*ff*
  monoamine oxidase, 273*ff*
  reserpine, 273*ff*
  serotonin, 217*ff*
  Xylocaine, 217*ff*
Eye movements, conceptual events during, 205*ff*
Eyelid conditioning, psychophysiological correlates of, 339*ff*

Fabing, H. D. J., In Memoriam, 289*ff*
Fluphenazine, effects on normals, 237*ff*

Haloperidol, effect on evoked responses in schizophrenia, 299*ff*
5-Hydroxytryptamine, in depression, 105*ff*
Hyperactive child syndrome, family study of, 189*ff*

Impulsiveness, and eyelid conditioning, 339*ff*
Indoleamines, in schizophrenia, 21*ff*
Isolation, neurochemical changes in, 141*ff*

Lithium, effect on evoked potential in manic depressive disease, 47*ff*

© 1971 Plenum Publishing Corporation, 227 West 17th Street, New York, N.Y. 10011.

Methamphetamine
chronic intoxication in monkeys, 25*ff*
mescaline, effects of, 251*ff*
Models, theoretical, 187*ff*
Monoamine oxidase, effect on evoked response, 273*ff*

Nailfold capillaries
visibility in normals, 281*ff*
visibility in retarded adolescents, 331*ff*
Neurochemical changes, associated with isolation, 141*ff*
News and Notes, 97*ff*, 185*ff*

Obsession
dreams in, 149*ff*
sleep in, 149*ff*

Personality, physiological correlates of, 59*ff*
Psychiatry
biological, 3*ff*
child, 1
iatrogenic factors in, 293*ff*
Psychopathic personality and schizophrenia, 197*ff*

Rapid eye movement, in sleep, 33*ff*
REM (*see* Rapid eye movement)
REM deprivation, effects of, 321*ff*
Research structure, 297*ff*
Reserpine, effect on evoked response, 273*ff*

Schizophrenia
effect of haloperidol on evoked responses, 299*ff*
indoleamines in blood, 21*ff*
plasma proteins in, 113*ff*
urinary studies, 9*ff*
Schizophrenia in adolescence, and psychopathic personality, 197*ff*
Schizophrenia in childhood, 123*ff*
Scopolamine, central effects in man, 347*ff*
Serotonin (*see also* 5-Hydroxytryptamine)
effect on evoked response, 217*ff*
uptake by platelets in schizophrenia, 123*ff*
Sleep, time estimation in, 159*ff*
Sleep deprivation
effects of, 309*ff*
psychophysiological changes in, 309*ff*
Sleep parameters, laboratory adaptation, 33*ff*
Sleep stability, 41*ff*
Society of Biological Psychiatry, 3*ff*
Sociopath
physiology of, 77*ff*
sociology of, 77*ff*

Thalamus, and body image, 71*ff*
Thyrotoxicosis, pink spot in, 181*ff*
Typology, Pavlovian, 61*ff*

Xylocaine, effect on evoked response, 217*ff*